



## SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 453/2010

Issued: May 20, 2015

Supersedes: Aug. 23, 2011

## FORMULA X™ UHP STRIPPER

### 1. IDENTIFICATION OF THE MIXTURE (PREPARATION) AND OF THE COMPANY/UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

Product Name: Formula X UHP (Ultra High Performance) Stripper Product Number: 503

#### 1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE AND USES ADVISED AGAINST

Product intended for commercial and industrial use only.

Intended Use: Floor Finish remover concentrate

Uses Advised Against: Other than per labelled instructions.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

##### Importer:

Eclipse Floor Solutions Pty Ltd

41-43 Steel Street

Capalaba

Queensland 4157

Telephone: (07) 3390 3027

Email: info@eclipsefloorsolutions.com.au

Internet: www.eclipsefloorsolutions.com.au

#### 1.4 EMERGENCY TELEPHONE NUMBER

**For Chemical Emergency:** Spill, Leak, Fire, Exposure or Accident Call:

The Australian Poisons Information Hotline All States 24 Hour Ph: 13 11 26

### 2. HAZARDS IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE MIXTURE (PREPARATION)

2.1.1 This mixture has been classified according to EC 1272/2008.

CLP Classification: Skin Corrosion 1B, Eye Damage 1

2.1.2 This preparation has been classified according to 1999/45/EC.

DPD Classification: Corrosive

#### 2.2 LABEL ELEMENTS

Signal Word: Danger

Hazard pictogram(s):



Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Precautionary Statement(s):

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection.

P310 Immediately call a POISON CENTER/doctor if you feel unwell.

P301+330+331+311 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor.

P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### 2.3 OTHER HAZARDS

No other hazards are known to the supplier



# SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 453/2010

Issued: May 20, 2015

Supersedes: Aug. 23, 2011

## FORMULA X™ UHP STRIPPER

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1/3.2 SUBSTANCES/MIXTURES

Ingredient	EC No.	Weight %	CAS No.	DSD Classification		CLP Classification	
				Symbol	Risk Phrase(s)*	Hazard Class	Hazard Statement(s)*
ethylene glycol monobutyl ether	203-905-0	10 - 30	111-76-2	Xn (Harmful) Xi (irritant)	R20/21/22 R36/38	Acute Tox 4 Eye Irrit 2 Skin Irrit 2	H302,H312,H332 H319 H315
ethanolamine	205-483-3	5 - 10	141-43-5	C (Corrosive) Xn (Harmful) Xi (Irritant)	R34 R20/21/22 R36/37/38	Acute Tox 4 Skin Corr 1B STOT SE 3	H302,H312,H332 H314 H335
propylene glycol monobutyl ether	225-878-4	5- 10	5131-66-8	Xi (Irritant)	R36/38	Eye Irrit 2 Skin Irrit 2	H319 H315

\*See section 16 for the full text of R phrases and Hazard Statements

### 4 FIRST AID MEASURES

#### 4.1 DECIPTION OF FIRST AID MEASURES

- Eye Contact:** Immediately wash out with water for at least 15 minutes. (If easy to do, remove contact lenses, if worn.) Seek medical attention immediately.
- Skin Contact:** Immediately wash with plenty of water for at least 15 minutes. (Remove any contaminated clothing and shoes.) Seek medical attention immediately.
- Inhalation:** If breathing is difficult: Remove to fresh air. Seek medical attention immediately.
- Ingestion:** Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

#### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

- Eye Contact:** Harmful in contact with eyes. May cause permanent damage.
- Skin Contact:** Harmful in contact with skin. May cause permanent damage.
- Inhalation:** May be harmful if inhaled. May cause irritation and corrosive effects to nose, throat and respiratory tract.
- Ingestion:** Harmful if swallowed. May cause burns to mouth, throat and stomach.

#### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No information available.

### 5. FIRE FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Dry chemical, water spray, foam, carbon dioxide

#### 5.2 SPECIAL HAZARDS ARISING FROM THE MIXTURE

Hazardous combustion products: None known

#### 5.3 ADVICE FOR FIRE FIGHTERS

Unusual fire and explosion hazards: Materials can splatter above 100°C/212°F.  
Special firefighting procedures: Corrosive material (See Sections 8 & 10)

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Refer to Section 8 for appropriate personal protective equipment.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Keep spills and cleaning runoff out of sewers and open bodies of water.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Small spills: Absorb spill on inert material (e.g. sand, earth) and dispose of as waste material in accordance with national and regional provisions.

Large spills: Keep spectators away. Floors may be slippery; use care to avoid falling. Neutralize spill area. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.

**6.4 REFERENCE TO OTHER SECTIONS:** Refer to Section 8 of the SDS.

## 7. HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use only in well-ventilated areas. Avoid breathing vapours or spray mists. Remove and wash contaminated clothing and footwear before re-use.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage temperature (Max. 60°C/140°F) (Min. 1°C/34°F). Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

**7.3 SPECIFIC END USE(S):** No information available

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
ethylene glycol monobutyl ether	ACGIH TLV	20	97	-	-	BEI
	DE (TRGS 900)	-	-	10	49	H,Y, AGS
	DK - At-Vejledning Stoffer og materialier- C.0.1	20	98	-	-	EH
	EU (2000/39/EC)	20	98	50	246	Skin
	NO – Forskrift, best.nr. 704	-	-	10	50	H
	EH40	25	123	50	246	Sk, BMGV

Ingredient	Source	TWA (8hours)		STEL (Short term)		Note(s)
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
ethanolamine	ACGIH TLV	3	7.5	6	15	-
	DE (TRGS 900)	-	-	2	5.1	H,Y,Sh
	DK - At-Vejledning Stoffer og materialier- C.0.1	1	2.5	-	-	H
	EU (2006/15/EC)	1	2.5	3	7.6	Skin
	NO Administrative Norm	1	2.5	-	-	H
	EH40	1	2.5	3	7.6	Skin

### 8.2 EXPOSURE CONTROLS

**Engineering Controls:** Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.

**Environmental exposure controls:** No specific environmental exposure controls known.

#### Personal Protective Equipment (PPE)

**Eye/Face Protection:** Safety eyewear is recommended, to avoid chemical splashes and mists.

**Hand Protection:** Chemical resistant gloves are recommended.

**Skin Protection:** If major exposure is possible, wear suitable protection such as rubber boots, apron, etc.

**Respiratory Protection:** Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator.

## 9. PHYSICAL AND CHEMICAL PROPERTIES



**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 453/2010

Issued: May 20, 2015

Supersedes: Aug. 23, 2011

**FORMULA X™ UHP STRIPPER**

**9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: clear, colorless, liquid  
 Odor: slight citrus  
 Odor Threshold: N/E  
 pH: 12.2  
 Freezing Point: N/E  
 Initial boiling point/boiling range: N/E  
 Flash Point: > 93°C  
 Evaporation Rate: N/E  
 Upper/lower flammability/explosive limits: N/E  
 Vapor Pressure: N/E  
 Vapor Density: N/E  
 Relative Density: 1.0 kg/L @ 20°C  
 Solubility: miscible in water  
 Partition Coefficient (n-octanol/water): N/E  
 Auto Ignition temperature: N/E  
 Decomposition Temperature: N/E  
 Viscosity: < 5 centipoise @ 20°C  
 Explosive Properties: N/A  
 Oxidizing properties: N/E

**9.2 OTHER INFORMATION**

VOC: 42%(as supplied), 8.2%(1:4), 4.6%(1:8), 2.4%(1:16)

**10. STABILITY AND REACTIVITY**

**10.1 REACTIVITY:** None known  
**10.2 CHEMICAL STABILITY:** Stable under normal conditions.  
**10.3 POSSIBILITY OF HAZARDOUS REACTIONS:** Product may react strongly with water. Care should be used if diluting; product should be slowly added to water.  
**10.4 CONDITIONS TO AVOID:** None known  
**10.5 INCOMPATIBLE MATERIALS:** Strong acids, bases and oxidizing agents.  
**10.6 HAZARDOUS DECOMPOSITION PRODUCTS:** None known

**11. TOXICOLOGICAL INFORMATION**

**11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

**ACUTE TOXICITY:** Toxicity testing has not been completed on the mixture.  
 Based on available data, the classification criteria are not met.

Component	CAS #	LD50 Oral-Rat (mg/kg)	LD50 Dermal - Rabbit (mg/kg)	LC50 Inhalation- (mg/l)
ethylene glycol monobutyl ether	111-76-2	470 - 1746	guinea pig, >2000	guinea pig (1hr), >3.1
ethanolamine	141-43-5	1090 - 3320	rat, 2504	rat (4hr), >1.48
propylene glycol monobutyl ether	5131-66-8	5660	> 2000	rat (4hr), >3.5

**SKIN CORROSION/IRRITATION:** Classified as Skin Corrosive - Category 1B  
**SERIOUS EYE DAMAGE/IRRITATION:** Classified as Eye Damage - Category 1  
**RESPIRATORY OR SKIN SENSITIZATION:** Based on available data, the classification criteria are not met.  
**GERM CELL MUTAGENICITY:** Based on available data, the classification criteria are not met.  
**CARCINOGENICITY:** Based on available data, the classification criteria are not met.  
**REPRODUCTIVE TOXICITY:** Based on available data, the classification criteria are not met.



## SAFETY DATA SHEET

Conforms to 1907/2006/EC - (EU) 453/2010

Issued: May 20, 2015

Supersedes: Aug. 23, 2011

### FORMULA X™ UHP STRIPPER

- STOT-SINGLE EXPOSURE:** Based on available data, the classification criteria are not met.
- STOT-REPEATED EXPOSURE:** Based on available data, the classification criteria are not met.
- ASPIRATION HAZARD:** Based on available data, the classification criteria are not met.

#### 12. ECOLOGICAL INFORMATION

- 12.1 TOXICITY:** Ecological testing has not been completed on the mixture.

Component	CAS #	LC50 - 96 hr	LC50 - 48 hr	EC50 - 72 hr
ethylene glycol monobutyl ether	111-76-2	vertebrate, 820-1490 mg/ml	Daphnia magna, 835 mg/l	algae, 911 mg/l
ethanolamine	141-43-5	vertebrate, 125-2010 mg/ml	Daphnia magna, 33-93 mg/l	algae, 2.5 mg/l
propylene glycol monobutyl ether	5131-66-8	vertebrate, 560-1000 mg/ml	Daphnia magna, >1000 mg/l	algae, 560 mg/l

- 12.2 PERSISTENCE AND DEGRADABILITY:** No data available.

Component	CAS #	Biodegradation
ethylene glycol monobutyl ether	111-76-2	readily biodegradable
ethanolamine	141-43-5	readily biodegradable
propylene glycol monobutyl ether	5131-66-8	readily biodegradable

- 12.3 BIOACCUMULATIVE POTENTIAL:** No data available.

Component	CAS #	Partition coefficient n-octanol/water (Kow) (Log)	Bioconcentration factor (BCF)
ethylene glycol monobutyl ether	111-76-2	0.81	< 100
ethanolamine	141-43-5	-1.91	< 100
propylene glycol monobutyl ether	5131-66-8	1.2	< 100

- 12.4 MOBILITY IN SOIL:** No data available.

Component	CAS #	Soil Organic Carbon-Water Partitioning Coefficient (Koc)
ethylene glycol monobutyl ether	111-76-2	67
ethanolamine	141-43-5	1.17
propylene glycol monobutyl ether	5131-66-8	1.3 - 6

- 12.5 RESULTS OF PBT AND vPvB ASSESSMENT:** No data available.
- 12.6 OTHER ADVERSE EFFECTS:** No data available.
- 12.7 ADDITIONAL INFORMATION:** No data available.

#### 13. DISPOSAL CONSIDERATIONS

##### 13.1 WASTE TREATMENT METHODS

Disposal of this material should be in accordance with local, regional and national regulations.  
EU Waste Catalogue: 20 01 15\*

#### 14. TRANSPORT INFORMATION

- 14.1 UN NUMBER:** UN1760
- 14.2 UN PROPER SHIPPING NAME:** Corrosive liquid, n.o.s. (ethanolamine)
- 14.3 TRANSPORT HAZARD CLASSES:** 8
- 14.4 PACKING GROUP:** III
- 14.5 ENVIRONMENTAL HAZARDS:** N/A

**SAFETY DATA SHEET**

Conforms to 1907/2006/EC - (EU) 453/2010

Issued: May 20, 2015

Supersedes: Aug. 23, 2011

**FORMULA X™ UHP STRIPPER****14.6 SPECIAL PRECAUTIONS FOR USER:**

Package volumes &lt; 5 L are shipped as Limited Quantity; as permitted by hazard class and quantity limits.

**IMDG**

Emergency Schedules (EmS): Fire F-A, Spillage S-B  
Stowage and Segregation: Category B. Clear of living quarters.  
Marine Pollutant: None

**ADR/RID**

Class: 8  
Item Number: 80  
Classification Code: C9

**14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MAPROL73/78 AND THE IBC CODE: N/A****15. REGULATORY INFORMATION****15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE MIXTURE**

EINECS STATUS: Ingredients are included in the EINECS/ELINCS/NLP inventories.  
NATIONAL REGULATIONS: No additional national regulations are known to the supplier.

**15.2 CHEMICAL SAFETY ASSESSMENT: No information available.****16: OTHER INFORMATION****REVISION INFORMATION:**

May 20, 2015 - Revisions required per EC 1272/2008.

**ABBREVIATIONS:**

N/A - Not applicable  
N/E - Not Established  
N/L - Not Listed

**FULL TEXT OF HAZARD STATEMENTS:**

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

**FULL TEXT OF PRECAUTIONARY STATEMENTS:**

P264 Wash thoroughly after handling.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see ... on this label).  
P337+313 If eye irritation persists: Get medical advice/attention.  
P363 Wash contaminated clothing before reuse.  
P405 Store locked up.

**FULL TEXT OF RISK PHRASES:**

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R34 Causes burns.  
R35 Causes severe burns.  
R36/37/38 Irritating to eyes, respiratory system and skin.

**ISSUED BY:**

Eclipse Floor Solutions Pty Ltd